

JAN 05 2005

Amdt. dated January 5, 2005  
Reply to Office action of October 5, 2004

Serial No. 09/809,759  
Docket No. ROC920000170US1  
Firm No. 0021.0013

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims**

1. (Currently amended) A computer implemented method for verifying a network address, comprising:
  - accessing a network address included within a file;
  - providing at least one context term;
  - accessing content at the accessed network address; and
  - determining whether the accessed content satisfies a qualifying threshold with respect to the at least one context term;
  - providing a substitute network address if the accessed content did not satisfy the qualifying threshold; and
  - in response to a user input, substituting within the file the substitute network address for the accessed network address.
2. (Original) The method of claim 1, wherein providing the at least one context term comprises:
  - locating context terms in the file within a predetermined vicinity of the network address location in the file.
3. (Original) The method of claim 2, wherein the file comprises a text document and wherein the predetermined vicinity comprises a section of the document including the network address.
4. (Original) The method of claim 1, wherein providing the context term comprises receiving user entered context terms.

Amndt. dated January 5, 2005  
Reply to Office action of October 5, 2004

RECEIVED  
CENTRAL FAX CENTER

JAN 05 2005

Serial No. 09/809,759  
Docket No. ROC920000170US1  
Firm No. 0021.0013

5. (Original) The method of claim 1, wherein the network address comprises a Universal Resource Locator (URL), and wherein accessing the content at the network addresses comprises downloading a file addressed by the URL over the Internet.

6. (Original) The method of claim 1, wherein the network address is embedded in a hypertext link in the file.

7. (Original) The method of claim 1, wherein determining whether the accessed content satisfies the qualifying threshold comprises:

determining whether the accessed content includes a preset number of instances of the context terms, wherein the qualifying threshold is satisfied if the accessed content includes at least the preset number of instances of context terms.

8. (Original) The method of claim 1, wherein determining whether the accessed content satisfies the qualifying threshold comprises:

accessing metadata associated with the accessed content, wherein the metadata describes attributes of the content; and

determining whether the accessed metadata includes a preset number of instances of the context terms, wherein the qualifying threshold is satisfied if the accessed metadata includes at least the preset number of instances of context terms.

9. (Original) The method of claim 1, wherein at least one of the context terms comprises a negative context term and wherein determining whether the accessed content satisfies the qualifying threshold further comprises:

determining whether the accessed content includes a preset number of instances of the negative context terms, wherein the qualifying threshold is not satisfied if the accessed content includes at least the present number of instances of context terms.

Amdt. dated January 5, 2005  
Reply to Office action of October 5, 2004

RECEIVED  
CENTRAL FAX CENTER

JAN 0 5 2005

Serial No. 09/809,759

Docket No. ROC920000170US1

Firm No. 0021.0013

10. (Original) The method of claim 1, further comprising:  
if the accessed content satisfies the qualifying threshold, then searching for additional network addresses in the file to determine if the additional network addresses satisfy the qualifying threshold.

11. (Currently amended) The method of claim 1, wherein the network address is comprised of a string, and wherein the substitute network address providing includes if the accessed content does not satisfy the qualifying threshold, then performing:

determining at least one variation of the string, wherein a determined variation of the string is capable of comprising a network address at which content is located;

for each determined string variation, performing:

(i) submitting a request to access content at the network address comprising the string variation; and

(ii) if content is accessed in response to the submitted request, then determining whether the accessed content at the network address comprising the string variation satisfies the qualifying threshold with respect to the at least one context term.

12. (Original) The method of claim 11, wherein if the content accessed from the network address comprising the string variation satisfies the qualifying threshold, then adding the network address comprising the string variation to a list of network addresses.

13. (Currently amended) The method of claim 12, wherein the substitute network address substituting includes further comprising:

receiving user selection of one of the network addresses on the list to substitute for the network address in the file addressing content that did not satisfy the qualifying threshold.

Amtdt. dated January 5, 2005  
Reply to Office action of October 5, 2004

Serial No. 09/809,759  
Docket No. ROC920000170US1  
Firm No. 0021.0013

14. (Currently amended) The method of claim 13, wherein the substitute network address providing includes further comprising:

displaying a graphical user interface (GUI) listing the network addresses on the list, wherein the user selection of one of the network addresses on the list is performed in the GUI.

15. (Original) The method of claim 11, wherein determining at least one string variation comprises:

performing a spell check operation on the network address to generate possible correct spellings for the network address string, wherein the string variations include the generated possible correct spellings.

16. (Original) The method of claim 11, wherein the network address comprises a Universal Resource Locator (URL) and wherein the string variation includes a different top level domain than the top level domain of the URL in the file

17. (Original) The method of claim 11, wherein the string variations are generated from a stemming algorithm applied to the network address string in the file.

18. (Original) The method of claim 1, wherein the accessed content is a member of the set of content comprising: video; audio; three-dimensional graphics, images; text; a hypertext markup language (HTML) document; an Extensible Markup Language (XML) document.

19. (Currently amended) A system for verifying a network address, comprising:  
a computer readable medium;  
a file stored in the computer readable medium, wherein the file includes at least one network address;

Amdt. dated January 5, 2005  
Reply to Office action of October 5, 2004

Serial No. 09/809,759  
Docket No. ROC920000170US1  
Firm No. 0021.0013

means for accessing one network address included within a file;  
means for providing at least one context term;  
means for accessing content at the accessed network address; ~~and~~  
means for determining whether the accessed content satisfies a qualifying  
threshold with respect to the at least one context term;  
means for providing a substitute network address if the accessed content did not  
satisfy the qualifying threshold; and  
means for, in response to a user input, substituting within the file the substitute  
network address for the accessed network address.

20. (Currently amended) The system of claim 19, wherein the means for  
providing the at least one context term performs:  
locating context terms in the file within a predetermined vicinity of the network  
address location in the file.

21. (Original) The system of claim 20, wherein the file comprises a text  
document and wherein the predetermined vicinity comprises a section of the document  
including the network address.

22. (Original) The system of claim 19, wherein the means for providing the  
context term receives user entered context terms.

23. (Original) The system of claim 19, wherein the network address comprises a  
Universal Resource Locator (URL), and wherein the means for accessing the content at  
the network addresses downloads a file addressed by the URL over the Internet.

24. (Original) The system of claim 19, wherein the network address is embedded  
in a hypertext link in the file.

Amdt. dated January 5, 2005  
Reply to Office action of October 5, 2004

Serial No. 09/809,759  
Docket No. ROC920000170US1  
Firm No. 0021.0013

25. (Original) The system of claim 19, wherein the means for determining whether the accessed content satisfies the qualifying threshold performs:

determining whether the accessed content includes a preset number of instances of the context terms, wherein the qualifying threshold is satisfied if the accessed content includes at least the preset number of instances of context terms.

26. (Original) The system of claim 19, wherein the means for determining whether the accessed content satisfies the qualifying threshold performs:

accessing metadata associated with the accessed content, wherein the metadata describes attributes of the content; and

determining whether the accessed metadata includes a preset number of instances of the context terms, wherein the qualifying threshold is satisfied if the accessed metadata includes at least the preset number of instances of context terms.

27. (Original) The system of claim 19, wherein at least one of the context terms comprises a negative context term and wherein the means for determining whether the accessed content satisfies the qualifying threshold further performs:

determining whether the accessed content includes a preset number of instances of the negative context terms, wherein the qualifying threshold is not satisfied if the accessed content includes at least the present number of instances of context terms.

28. (Original) The system of claim 19, further comprising:

means for searching for additional network addresses in the file to determine if the additional network addresses satisfy the qualifying threshold if the accessed content satisfies the qualifying threshold.

29. (Currently amended) The system of claim 19, wherein the network address is comprised of a string, and wherein the substitute network address providing means includes further comprising:

Amdt. dated January 5, 2005  
Reply to Office action of October 5, 2004

Serial No. 09/809,759  
Docket No. ROC920000170US1  
Firm No. 0021.0013

means for determining at least one variation of the string if the accessed content does not satisfy the qualifying threshold, wherein a determined variation of the string is capable of comprising a network address at which content is located; and

means for, for each determined string variation, performing:

(i) submitting a request to access content at the network address comprising the string variation; and

(ii) if content is accessed in response to the submitted request, then determining whether the accessed content at the network address comprising the string variation satisfies the qualifying threshold with respect to the at least one context term.

30. (Original) The system of claim 29, further comprising means for adding the network address comprising the string variation to a list of network addresses if the content accessed from the network address comprising the string variation satisfies the qualifying threshold.

31. (Currently amended) The system of claim 30, wherein the substitute network address substituting means includes further comprising:

means for receiving user selection of one of the network addresses on the list to substitute for the network address in the file addressing content that did not satisfy the qualifying threshold.

32. (Currently amended) The system of claim 31, wherein the substitute network address providing means includes further comprising:

means for displaying a graphical user interface (GUI) listing the network addresses on the list, wherein the user selection of one of the network addresses on the list is performed in the GUI.

Amdt. dated January 5, 2005  
Reply to Office action of October 5, 2004

Serial No. 09/809,759  
Docket No. ROC920000170US1  
Firm No. 0021.0013

33. (Original) The system of claim 29, wherein the means for determining at least one string variation performs:

spell checking the network address to generate possible correct spellings for the network address string, wherein the string variations include the generated possible correct spellings.

34. (Original) The system of claim 29, wherein the network address comprises a Universal Resource Locator (URL) and wherein the string variation includes a different top level domain than the top level domain of the URL in the file

35. (Original) The system of claim 29, wherein the string variations are generated from a stemming algorithm applied to the network address string in the file.

36. (Original) The system of claim 19, wherein the accessed content is a member of the set of content comprising: video; audio; three-dimensional graphics, images; text; a hypertext markup language (HTML) document; an Extensible Markup Language (XML) document.

37. (Currently amended) An article of manufacture including code for use in verifying a network address by:

accessing a network address included within a file;  
providing at least one context term;  
accessing content at the accessed network address; and  
determining whether the accessed content satisfies a qualifying threshold with respect to the at least one context term;  
providing a substitute network address if the accessed content did not satisfy the qualifying threshold; and  
in response to a user input, substituting within the file the substitute network address for the accessed network address.



Amdt. dated January 5, 2005  
Reply to Office action of October 5, 2004

Serial No. 09/809,759  
Docket No. ROC920000170US1  
Firm No. 0021.0013

38. (Original) The article of manufacture of claim 37, wherein providing the at least one context term comprises:

locating context terms in the file within a predetermined vicinity of the network address location in the file.

39. (Original) The article of manufacture of claim 38, wherein the file comprises a text document and wherein the predetermined vicinity comprises a section of the document including the network address.

40. (Original) The article of manufacture of claim 37, wherein providing the context term comprises receiving user entered context terms.

41. (Original) The article of manufacture of claim 37, wherein the network address comprises a Universal Resource Locator (URL), and wherein accessing the content at the network addresses comprises downloading a file addressed by the URL over the Internet.

42. (Original) The article of manufacture of claim 37, wherein the network address is embedded in a hypertext link in the file.

43. (Original) The article of manufacture of claim 37, wherein determining whether the accessed content satisfies the qualifying threshold comprises:

determining whether the accessed content includes a preset number of instances of the context terms, wherein the qualifying threshold is satisfied if the accessed content includes at least the preset number of instances of context terms.

Amdt. dated January 5, 2005  
Reply to Office action of October 5, 2004

Serial No. 09/809,759  
Docket No. ROC920000170US1  
Firm No. 0021.0013

44. (Original) The article of manufacture of claim 37, wherein determining whether the accessed content satisfies the qualifying threshold comprises:  
accessing metadata associated with the accessed content, wherein the metadata describes attributes of the content; and  
determining whether the accessed metadata includes a preset number of instances of the context terms, wherein the qualifying threshold is satisfied if the accessed metadata includes at least the preset number of instances of context terms.

45. (Original) The article of manufacture of claim 37, wherein at least one of the context terms comprises a negative context term and wherein determining whether the accessed content satisfies the qualifying threshold further comprises:

determining whether the accessed content includes a preset number of instances of the negative context terms, wherein the qualifying threshold is not satisfied if the accessed content includes at least the present number of instances of context terms.

46. (Original) The article of manufacture of claim 37, further comprising:  
if the accessed content satisfies the qualifying threshold, then searching for additional network addresses in the file to determine if the additional network addresses satisfy the qualifying threshold.

47. (Currently amended) The article of manufacture of claim 37, wherein the network address is comprised of a string, and wherein the substitute network address providing includes ~~if the accessed content does not satisfy the qualifying threshold, then~~ performing:

determining at least one variation of the string, wherein a determined variation of the string is capable of comprising a network address at which content is located;

for each determined string variation, performing:

(i) submitting a request to access content at the network address comprising the string variation; and

Amdt. dated January 5, 2005  
Reply to Office action of October 5, 2004

Serial No. 09/809,759  
Docket No. ROC920000170US1  
Firm No. 0021.0013

(ii) if content is accessed in response to the submitted request, then determining whether the accessed content at the network address comprising the string variation satisfies the qualifying threshold with respect to the at least one context term.

48. (Original) The article of manufacture of claim 47, wherein if the content accessed from the network address comprising the string variation satisfies the qualifying threshold, then adding the network address comprising the string variation to a list of network addresses.

49. (Currently amended) The article of manufacture of claim 48, wherein the substitute network address substituting includes further comprising:  
receiving user selection of one of the network addresses on the list to substitute for the network address in the file addressing content that did not satisfy the qualifying threshold.

50. (Currently amended) The article of manufacture of claim 49, wherein the substitute network address providing includes further comprising:  
displaying a graphical user interface (GUI) listing the network addresses on the list, wherein the user selection of one of the network addresses on the list is performed in the GUI.

51. (Original) The article of manufacture of claim 47, wherein determining at least one string variation comprises:  
performing a spell check operation on the network address to generate possible correct spellings for the network address string, wherein the string variations include the generated possible correct spellings.

Amtd. dated January 5, 2005  
Reply to Office action of October 5, 2004

Serial No. 09/809,759  
Docket No. ROC920000170US1  
Firm No. 0021.0013

52. (Original) The article of manufacture of claim 47, wherein the network address comprises a Universal Resource Locator (URL) and wherein the string variation includes a different top level domain than the top level domain of the URL in the file

53. (Original) The article of manufacture of claim 47, wherein the string variations are generated from a stemming algorithm applied to the network address string in the file.

54. (Original) The article of manufacture of claim 47, wherein the accessed content is a member of the set of content comprising: video; audio; three-dimensional graphics, images; text; a hypertext markup language (HTML) document; an Extensible Markup Language (XML) document.